## IN THE CLAIMS:

Please AMEND the claims to read as set forth in the following listing of the claims:

## **CLAIMS**

- 1. (original) Method for the preparation of a vaccine composition comprising recombinant or synthetic gelatin as a stabiliser, said method comprising the step of taking a measure so that the water content remains below 2 wt. % in order to prevent the recombinant gelatin from crystallisation during the lifetime of the composition.
- 2. (original) Method according to claim 1 in which the recombinant gelatin is homodisperse.
- 3. (presently amended) Method according to claim 1 or 2 in which the molecular weight of the recombinant gelatin is between 2.5 and 50 kD, preferably between 2.5 and 30 kD, and more preferably between 2.5 and 15 kD.
- 4. (presently amended) Method according to <u>claim 1</u> any of the preceding claims in which the molecular weight of the recombinant gelatin is between 5 and 10 kD, preferably between 6 and 8 kD.
- (presently amended) Method according to <u>claim 1</u> any of the preceding claims,
  wherein the amino acid sequences of said gelatin are essentially similar.
- 6. (presently amended) Method according to <u>claim 1</u> any of the preceding claims in which the lifetime is the time from production to the moment of use of the composition.

- 7. (presently amended) Method according to <u>claim 1</u> any of the preceding claims which the lifetime is the period of storage of the composition.
- 8. (presently amended) Method according to <u>claim 1</u> any of the preceding claims which the lifetime is at least 3 months, or at least 6 months, or at least one year or at least 2 years, or at least 7 years.
- 9. (presently amended) Method according to <u>claim 1</u> any of the preceding claims in which the measure that is taken so that the water content remains below 2 wt. % is providing the composition in a sufficiently moisture-tight container.
- 10. (presently amended) Method according to <u>claim 1</u> any of the preceding claims in which the measure that is taken so that the water content remains below 2 wt. % is providing the composition in a sufficiently air-tight container.
- 11. (original) Vaccine composition comprising recombinant gelatin as a stabiliser, wherein said composition has a water content of less than 2 wt. %.
- 12. (original) Vaccine composition according to claim 11 which is at least 3 months old.
- 13. (original) Method for the preparation of a vaccine composition comprising recombinant or synthetic gelatin as a stabiliser, said method comprising the steps of (a) producing recombinant or synthetic bi-modal or multi-modal gelatin, (b) adding said gelatin to a vaccine composition as stabiliser, and (c) lyophilizing said vaccine composition, whereby crystallisation of the recombinant gelatin is prevented during the lifetime of the composition.

- 14. (original) Vaccine composition comprising recombinant or synthetic gelatin as a stabiliser, wherein said gelatin is bi-modal or multi-modal.
- 15. (original) Vaccine composition according to claim 14, wherein the amino acid sequences of said gelatin are essentially similar.
- 16. (original) Method for the preparation of a pharmaceutical composition comprising at least one therapeutic protein and further comprising recombinant or synthetic gelatin as a stabiliser, said method comprising the step of taking a measure so that the water content remains below 2 wt. % in order to prevent the recombinant gelatin from crystallisation during the lifetime of the composition.
- 17. (original) Pharmaceutical composition comprising at least one therapeutic protein and further comprising recombinant or synthetic gelatin as a stabiliser, wherein said composition has a water content of less than 2 wt. %.
- 18. (new) Method according to claim 2 in which the molecular weight of the recombinant gelatin is between 2.5 and 50 kD, preferably between 2.5 and 30 kD, and more preferably between 2.5 and 15 kD.
- 19. (new) Method according to claim 2 in which the molecular weight of the recombinant gelatin is between 5 and 10 kD, preferably between 6 and 8 kD.
- 20. (new) Method according to claim 2, wherein the amino acid sequences of said gelatin are essentially similar.